

A240.A270.A300.A330



lightest weight possible. At such a low weight, they are very roomy and fully loaded with a number of great features, making these dinghies your very best choice. The size range includes four models: A240, A270, A300 and A330. Their best selling features:

ATLANTIS-LITE tenders are created for customers who are looking for RIB tenders with the

- · Standard bow step panel perfect way to utilize space at the bow; step on it, sit on it or strap the fuel tank below.
- Easy and quick getting on plane and a remarkably dry ride with «GALA TABS».
- Sliding seats installation system most convenient way to organize the cockpit.
- Elegant lining and decoration of expertly equipped boats with original GALA fittings. Every boat is available with either VALMEX or HYPALON tubing, coming in a variety of colours.



A240 240 cm (7' 10") long 6HP max, 2 pers

270 cm (8' 10") long 10HP max, 3 pers

300 cm (9' 10") long 15HP max, 4 pers

A330 20HP max, 4 pers

A300-LITE

5 reasons to choose GALA!

«GALA-TABS» HULL DESIGN BOW STEP PANEL



feature for getting on plane with ease and water spray protection!



tank to it! Very convenient!

SLIDING ALUMINUM SEAT



«GALA-TABS» hull design is a PATENTED There is a large step panel at the bow, so Each model is equipped with a sliding Each GALA Atlantis-LITE is extremely you can step on it, sit on it or attach the aluminium seat with additional seat low weight. It makes them an unbeaavailable.

EXTREMELY LOW WEIGHT




table choice if you need something lite!

OVERPRESSURE VALVE



Overpressure Valve for protection against overheating and overinflating.



Features:

STANDARD FEATURES:

- Medium "V" powder-coated aluminium hull with GALA-TABS patented design, antiskid decking and hidden transom brackets
- Bow step panel with antiskid surface
- · Rigid aluminium seat with sliding installa-
- Substantial keel protector
- 5 lifting eyes and 3 towing bow eyes

- GALA bow cleat and 8/10 grab handles
- Soft curved 3-chamber VALMEX / Hypalon buoyancy tube with rounded bow and original «GALA-JET» design
- Overpressure valve
- Tough rubbing strake with splash guard
- One-way drain valve
- Two oars with oarlocks and oar stops



OPTIONAL EQUIPMENT:

- Overall cover Additional aluminium seat
- Soft cushion for aluminium seat
- Under-seat bag
- SEADECK decking upgrade

Colors:



_ight-gray tube / Gray decor VALMEX PVC



White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:





· Soft seat cushion and









Our ATLANTIS Double Deck Series tenders are the beginning of an extensive range of high-class RIBs with aluminum hulls, originally created by GALA Canada. If you are looking for the most durable and spacious tender or runabout boat, fully loaded with features, then ATLANTIS Double Deck tender will be your best choice.

The size range includes five models: A240D, A270D, A300D, A330D, A360D, A390D.

The best selling features:

- · Standard bow locker with bow cushion, large access door, double ventilation and great storage, even to store your fuel tank.
- Impressive passenger and carrying capacities, as well as power rating.
- Elegant and practical bow cleat.
- · Unbeatable performance and remarkably dry ride with «GALA TABS». ortable and dry stay on board with flat Doube Deck.
- · Elegant lining and decoration of expertly equipped boats with original GALA fittings. Every boat is available with either VALMEX or HYPALON tubing, coming in a variety of colours.



240cm(7'10") long

270cm(8'10") long 300cm(9'10") long 330cm(10'10") long

390cm(12'10") long 30HP max, 6 pers

5 reasons to choose GALA!

BOW LOCKER + CUSHION



soft cushion allows for versatile comfort aluminium seats as a standard and storage, even for your fuel tank.

TWO ALU SLIDING SEATS



Roomy double-vented bow locker with Each model is equipped with two sliding «GALA-TABS» hull design is a PATENTED Each GALA Series-A model has a plenty (A240-1 pc).

«GALA-TABS» HULL DESIGN



feature for easy getting on plane and of space and impressive capacities. water spray protection!

MOST SPACIOUS COCKPIT



INNOVATIVE GALA FITTINGS



Experience state-of-art engineering with each original GALA fittings

Features:

- Medium "V" powder-coated aluminium hull with GALA-TABS patented design, antiskid decking and hidden transom brackets
- · Double vented bow locker with hatch and soft cushion
- Two aluminium seats (one on A240) with sliding installation system
- · Substantial keel protector

- 6 lifting eyes and 3 towing bow eyes
- Bow handle and two rear handles
- GALA bow cleat and 8/10 grab handles
- Soft curved 3-chamber VALMEX / Hypalon buoyancy tube with rounded bow and original «GALA-JET» design
- Overpressure valve
- Tough rubbing strake with splash guard
- · One-way drain valve with pull-up handle
- Two oars with oarlocks
- High-efficiency foot pump · Repair kit and manual
- OPTIONAL EQUIPMENT:
- Overall cover
- Soft cushion for aluminium seat
- Under-seat bag
- SEADECK decking upgrade

Hull structure:

DOUBLE DECK HULL (A240D - A390D)



Colors:



Light-gray tube / Gray decor • VALMEX PVC



White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:









300 cm (9' 10") long

15HP max, 5 pers



Each boat is equpped with the advanced against overheating and overinflating.

The core idea of AQUAHELM for GALA boats is the best solution for the lightest tender with remote steering. Three GALA models can be equipped with the AQUAHELM S-08 steering console & seat combo, an innovative design from GALA: A300Q, A330Q, A360Q and A390Q. Extremely light and versatile with slim eye-catching outlines, it easily converts your dinghy to an unbeatable center console craft!

You can adjust console and arm positions for your comfort. The console can be installed any time if you want to upgrade from classic tiller drive to remote control steering.

Every boat is available with either VALMEX or HYPALON tubing, coming in a variety of colours.



330 cm (10' 10") long 20HP max, 5 pers



360 cm (11' 10") long 30HP max, 6 pers



A3600-AOUAHELM

5 reasons to choose GALA!

«GALA-TABS» HULL DESIGN



feature for getting on plane with ease and water spray protection!

LIGHTEST WITH REMOTE



table choice if you need something lite! comfort!

SLEEK ELITE DESIGN



«GALA-TABS» hull design is a PATENTED Each GALA Atlantis-LITE is extremely The console design is very elegant and With Atlantis AQUAHELM console C-08

STRETCH YOUR FEET!



low weight. It makes them an unbea- sleek. Enjoy your dinghy outlines and you have a lot of free room in cockpit and can stretch your feet easily!

OPTIONAL EQUIPMENT:

• SEADECK decking upgrade

• SILVERTEX upholstery upgrade

· Soft cushion and under-seat bag

• Two oars with oarlocks and holders

Overall cover

• Electric package with navigation

lights, bilge pump and electric system

OVERPRESSURE VALVE



Overpressure Valve for protection

Features:

STANDARD FEATURES:

- Medium "V" powder-coated aluminium hull with GALA-TABS patented design, antiskid decking and hidden transom brackets
- Double vented bow locker with soft cushion
- · Soft curved 3-chamber VALMEX / Hypalon buoyancy tube with overpressure valve
- AQUAHELM Steering console C-08 with steering system, wheel, cable, storage with soft seat and folding seat back
- Rigid aluminium seat with sliding system
- GALA bow handle and 8/10 grab handles • One bow and two rear GALA cleats
- · Substantial keel protector
- 6 lifting eyes and 3 towing bow eyes • Tough rubbing strake with splash guard
- One-way drain valve
- Two paddles and foot pump
- · Repair kit and manual

Colors:



ight-gray tube / Gray decor VALMEX PVC



White tube / Gray decor



Black tube / Gray decor VALMEX PVO

Options:

lights, bilge pump and socket



• Electric system with navigation • Two removable aluminum side





ATLANTIS-DELUXE



GALA ATLANTIS A300L and A330L are the smallest and lightest Deluxe tenders with the classy fiberglass center console from GALA. If you are looking for the lightest, most durable and spacious center console tender for your yacht, or the safest boat for your kids, fully loaded with features, then ATLANTIS Deluxe Tenders will be your best choice.

There are two models in the line: A300L (300 cm long) and A330L (330 cm long), featuring V-shaped bottom with flat deck and large underdeck water collector.

Both models come with a steering console and double seat. A330L has an extra seat in the front of the console and larger cockpit space.

The best selling features are:

- · Very spacious cockpit with wide free walkway.
- · Unbeatable performance and easy getting on plane with «GALA TABS» hull.
- · Elegant lining and decoration of expertly equipped boats with original GALA fittings.

Every boat is available with either VALMEX or HYPALON tubing, coming in a variety of colours.





A300L 300 cm (9' 10") long 20HP max, 4 pers

A330L

5 reasons to choose GALA!

SPACIOUS COCKPIT



allows for versatile comfort, a lot of have extremely low weight. That makes ture for easy getting on plane and water ergonomy, comfort and efficiency for a seating and safety on board!

UNBEATABLY LOW WEIGHT



them easy to lift, easy to tow, easy to go! spray protection!

«GALA-TABS» HULL DESIGN



ERGONOMIC ENGINEERING



Roomy cockpit with wide free walkway With original GALA hulls both models «GALA-TABS» hull design is a unique fea- All controls are engineered with lot of equipment on board.

TRANSFORMER SEAT



Seat back easily folds forward for higher driver position, access to back and features two safety st.steel handrails.

Features:

- Medium "V" powder-coated aluminium hull with «GALA TABS», hidden reinforced transom brackets and keel protector
- · Steering console with windshield and railing: C-01 on A300L, C-02 with front seat and seatback on A330L
- Double seat S-01 w/ folding back & storage
- Steering system with wheel and cable
- · Vented bow locker with hatch and cushion

• 6 lifting eyes and 3 towing bow eyes

- Bow handle and two rear splash guards
- One bow and two rear GALA cleats • Soft curved 3-chamber VALMEX / Hypalon buoyancy tube with rounded bow
- Overpressure valve
- Tough rubbing strake with splash guard · One-way drain valve with pull-up handle
- Two paddles, high-efficiency foot pump
- Repair kit and manual

OPTIONAL EQUIPMENT:

- Bow step plate with cleat and soft
- Electric package (incl. nav. lights, bilge pump, horn, battery switch etc) • SILVERTEX upholstery upgrade
- SEADECK decking
- Overall cover · Console cover
- Two fiberglass side steps

Colours:



Light-gray tube / Gray decor • VALMEX PVC



White tube / Gray decor VALMEX PVC



Black tube / Gray decor VALMEX PVC

Options:





· SEADECK antiskid decking for best comfort and safety











ATLANTIS A360L and A400L are medium size Deluxe tenders with the center console from GALA. If you are looking for the lightest, spacious and perfectly performing center console RIB, fully loaded with features, either for your yacht or as a comfortable boat for your family, or even for watersports and fishing, then A360L or A400L will be your best choice.

There are two models in the line: A360L (360 cm long) and A400 (400 cm long), featuring V-shaped bottom with flat deck and large underdeck water collector.

Both models come with a steering console, double seat and large bow locker with cushions. It gives you plenty of storage space and seating.

The best selling features: · Unbeatable performance and remarkably dry ride with «GALA TABS» transom extensions.

- · A lot of cockpit space, along with impressive passenger/carrying capacities, as well as power • Elegant lining and
- decoration of expertly equipped boats with original GALA fittings. Every boat is available with either VALMEX or HYPALON tubing, coming in a variety of colours.





A360L 360 cm (11' 10") long 40HP max 6 pers

A400L 400 cm (13' 1") long 50HP max 7 pers

5 reasons to choose GALA!

SPACIOUS COCKPIT



cushion allows for versatile comfort and have extremely low weight. That makes ture for getting on plane fast and water driver position, access to back and


UNBEATABLY LOW WEIGHT



the most spacious cockpit on a market! them easy to lift, easy to tow, easy to go! spray protection!

«GALA-TABS» HULL DESIGN TRANSFORMER SEAT





Roomy bow locker with removable soft. With original GALA hulls both models. «GALA-TABS» hull design is a unique fea- Seat back easily folds forward for higher features two st.steel handrails for safety.

INNOVATIVE GALA FITTINGS



Experience state-of-art engineering with each original GALA fitting. GALA cleats are great feature for easy docking.

Features:

STANDARD FEATURES:

- Medium "V" powder-coated aluminium hull with «GALA TABS», hidden reinforced transom brackets and keel protector
- · Steering console C-03 with windshield and railing, front seat and seat back
- Double seat S-02 w/ folding back & storage
- Steering system with wheel and cable • Bow locker with hatch and soft cushion
- One front and two rear GALA mooring cleats
- 6 lifting eyes and 3 towing bow eyes
- Bow handle and 10 grab handles
- Soft curved 3-chamber VALMEX / Hypalon buoyancy tube with rounded bow
- Overpressure valve
- Tough rubbing strake with splash guard · One-way drain valve with pull-up handle
- Two paddles, high-efficiency foot pump
- Repair kit and manual

OPTIONAL EQUIPMENT:

- Bow step plate w/ cleat, roller and soft seat back
- Fuel system with 35 lit tank / send
- · Electric package (incl. nav. lights, bilge pump, horn, battery switch etc)
- SEADECK decking
- SILVERTEX upholstery upgrade
- Two fiberglass side step panels

· Overall cover, console cover

Colours:



Light-gray tube / Gray decor • VALMEX PVC




White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:





· SEADECK antiskid decking for best comfort and safety



• Fuel system with 35 lit fuel







a nice selection of consoles. If you are looking for something spacious, light and easy to handle with exceptional performance, then these will be your best choice. Both models are great as a family boat, a boat for watersports, fishing or even using as a coach or rescue boat for yacht clubs or professionals.

ATLANTIS A450L and A500L are the medium size aluminium hull RIBs with an open cockpit and

Both models come with C-05 steering console and S-03 double seat. The steering console features a high profile windshield and railing, high enough to drive standing and to protect the driver from the wind. Foldable seat back makes the rear cockpit area easily accessible and more useful.

There is a wide selection of options like bow step plate, heavy duty towing arch, built-in fuel tank and more. That can easily make the boat perfectly fitting to your needs.

The unbeatable performance and remarkably dry ride with «GALA TABS» make these models stand out among the compe-

Every boat is available with either VALMEX or HYPALON tubing, coming in a variety of colours.



A450L 450 cm (14' 9") long 70HP max 8 pers

A500L 500 cm (16' 5") long 90HP max, 9 pers

A500L with arch

5 reasons to choose GALA!

DEEP-V ALU HULL



exceptional seaworthiness.

SELF-BAILING COCKPIT



makes this model a good performer with cockpit. It drains out all the water from ture for easily getting on plane and water driver position, access to back and the deck with no bilge pump needed!



«GALA-TABS» HULL DESIGN TRANSFORMER SEAT



Heavy aluminium welded Deep-V hull Both models have TRUE SELF-BAILING «GALA-TABS» hull design is a unique fea- Seat back easily folds forward for higher features two st.steel handrails for safety.

HEAVY-DUTY TOW ARCH



Elegant and heavy-duty welded towing arch (optional) comes with two welded cleats and heavy-duty waterski tow eye.

Features:

STANDARD FEATURES:

- Deep "V" powder-coated aluminium hull with «GALA TABS», hidden reinforced transom brackets and keel protector
- Steering console C-05 with windshield, railing, front seat and seat back, steering system with wheel and cable
- Double seat S-03 with soft seat, folding back and roomy storage
- · Spacious bow locker with soft cushion

- 4 lifting eyes and towing bow eye
- One bow and two rear GALA mooring cleats
- Bow handle and 10 safety grab handles • Soft curved 5-chamber Valmex/Hypalon buoyancy tube with rounded bow
- Overpressure valve

· Repair kit and manual

- Tough rubbing strake with splash guard
- One-way drain valve with plug • Two paddles, high-efficiency foot pump
- Bow step plate w/ cleat, roller and soft seat back
- Fuel system w/ 83 lit tank & send · Electric package
- Towing arch w/ 2 cleats & tow eye. • Overall cover, onsole / seat covers
- SILVERTEX upholstery upgrade
- SEADECK decking

OPTIONAL EQUIPMENT:

• Two fiberglass side step panels

Colours:



ight-gray tube / Gray decor VALMEX PVC



White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:



· SEADECK antiskid decking for best comfort and safety



• Fuel system with 83 lit fuel





GALA VIKING V330 and V360 are our new models, starting the new line of luxury aluminium hull RIB tenders. In comparison with similar boats of Atlantis range, the VIKING Tenders are better equipped, with more features, more advanced design, smoother ride and more storage space. The defining features are: wide spacious cockpit, side step panels for safe boarding, comfortable seating with hi-end upholstery and much more!

V330 330 cm (10' 10") long 30HP max, 5 pers



5 reasons to choose GALA!

WIDE SELF-BAILING COCKPIT GALA Z-TRANSOM



seating and safety on board!



Roomy cockpit with wide free walkway New innovative design of boat stern GALA side step panels are perfect for Unbeatably low weight for both models allows for versatile comfort, a lot of from GALA with Z-TRANSOM, motor well safely getting in and out of the boat or is impressive: V330 - 125kg (275 lbs) and and transom extensions!

SIDE STEP PANELS



even seating on them!

LIGHT WEIGHT



V360 - 150 kg (330 lbs).

HI-END UPHOLSTERY



All upholstery elements are made of premium materials with a two color design with nice padding and stitching.



Features:

STANDARD FEATURES:

- Medium "V" powder-coated alu self-bailing hull with «GALA TABS», «Z-FLAP» transom deflectors, motor well, keel protector, zinc anode.
- · Steering console with windshield and railing:
- C-02 on V330 and C-03 on V360
- Rear compartment with motor well, rear storage with soft seat and two back supports
- Steering system with wheel and cable
- · Bow locker with hatch and soft cushion

- 4 lifting eyes and 3 towing bow eyes
- Bow handle and two rear GALA cleats
- 8 safety grab handles
- Soft curved 3-chamber VALMEX / Hypalon
- buoyancy tube with rounded bow
 - Overpressure valve
 - Tough rubbing strake with splash guard
 - One-way drain valve with plug
- SILVERTEX stitched upholstery
- · Two paddles, pump, repair kit and manual

OPTIONAL EQUIPMENT:

- Bow step plate with cleat, soft seat
- · Electric package (incl. nav. lights,
- bilge pump, horn, battery switch etc)
- Two GRP side step panels
- Fuel system with 40 lit tank SEADECK decking
- Waterski towing mast

· Overall cover, Console cover

Colours:



Light-gray tube / Gray decor • VALMEX PVC HYPALON



White tube / Gray decor



Black tube / Gray decor · VALMEX PVC

Options:

• Bow step plate with cleat and soft back cushion




· SEADECK antiskid decking for best comfort and safety





DELUXE RIB Tenders





V420



420 cm (13' 9") long 60HP max, 7 pers

5 reasons to choose GALA!

GALA Z-TRANSOM (NEW)



GALA Z-TRANSOM with Z-form water V420 has TRUE SELF-BAILING and very Two GRP side step panels are perfect for Console with high windshield and railing exceptional protection & performance. with no bilge pump needed!

SELF-BAILING COCKPIT



TWO GRP SIDE STEPS



even seating on them!

LARGE STEERING CONSOLE



deflector and bottom extension is for roomy cockpit. It drains out all the water safely getting in and out of the boat or and roomy dashboard for up to 10" GPS plotter and other equipment.

HI-END UPHOLSTERY



All upholstery elements are made of premium materials with a two color design with nice padding and stiching.

Features:

STANDARD FEATURES:

- Deep "V" powder-coated aluminium selfbailing hull with «Z-FLAP» transom deflectors, «GALA TABS», motor well, keel protector, anode.
- Steering console C-05 with high profile windshield and railing
- Rear compartment with motor well, rear storage with soft seat and two back supports
- Steering system with wheel and cable
- Bow and rear lockers with soft cushions
- 4 lifting eyes
- · Bow handle and two rear cleats
- 8 safety grab handles
- Soft curved 4-chamber VALMEX / Hypalon buoyancy tube with rounded bow
- Overpressure valve
- Tough rubbing strake with splash guard
- One-way drain valve with plug
- SILVERTEX stitched upholstery
- Two paddles, pump, repair kit and manual

OPTIONAL EQUIPMENT:

- Bow step plate with cleat, soft seat back and anchor roller
- · Electric package (incl. nav. lights, bilge pump, horn, battery switch etc)
- Two fiberglass side step panels • Removable sundeck with cushion
- Fuel system with 83 lit tank
- SEADECK decking
- Overall cover and console cover

Colours:



Light-gray tube / Gray decor VALMEX PVC HYPALON



White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:



· SEADECK antiskid decking for best comfort and safety



• Built-in 83 lit fuel tank under the deck, with sender





V500 with T-top

5 reasons to choose GALA!

DEEP-V ALU HULL



exceptional seaworthiness.

REAR PART DESIGN



Aluminium welded Deep-V stepped hull V500 rear part configuration is the one «GALA-TABS» hull design is a unique fea- Seat back easily folds up to drive comfortable and practical.



spray protection! It's GALA's signature!

«GALA-TABS» HULL DESIGN TRANSFORMER SEAT



of V500 makes it a real performer with of a kind design to make the boat ture for easily getting on plane and water standing. It features three safety handrails and two storage compartments.

SELF-BAILING COCKPIT



The boat cockpit is truly SELF-BAILING, so all the water drains out without any bilge pump needed!

VIKING V500 is one of the most popular models in GALA line. This model opens a new extensive series of cruising RIBs with aluminium hulls, suitable for heavy sea conditions and high waves.

This model is 5 m (16'5") long, rated for 100HP engine, being the most compact RIB with four-units cockpit configuration on a market. It features:

- 1- Bow locker with cushion and seat back,
- 2- Alu welded steering console with front seat, 3- Alu captain seat with two storage compart-
- ments, three handrails and folding up seating, 4- Wide rear seating with folding seat back and large rear storage compartment.

Two rear walking platforms with motor well add a nice touch of comfort and safety.

The boat comes with some unique optional features from GALA:

- · Original GALA T-top with aerodynamically profiled framing. · Heady-duty welded towing arch with two
- mooring cleats and waterski towing post. These make this model an excellent choice for watersports, family cruising or just relaxed

The boat comes with two choices of tube material: either HYPALON, or VALMEX with nice selection of colors and original GALA styling.

boating across the waves.



V500 500 cm (16' 5") long 100HP max, 9 pers

V500 with T-top



Features:

STANDARD FEATURES:

- Deep "V" powder-coated aluminium hull with «GALA TABS», SELF-BAILING cockpit, two rear steps, motor well and keel protector
- Rear storage with seat and folding back
- Steering console C-04 with windshield, railing, steering system with wheel and cable
- · Driver seat S-04 with soft seat, folding back and roomy storage
- Spacious bow locker with access hatch
- 4 lifting eyes and bow tow eye
- Bow handle and 10 grab handles
- Soft curved 5-chamber Valmex / Hypalon buoyancy tube with rounded bow
- Overpressure valve
- Tough rubbing strake with splash guard
- Doubled one-way drain system with plugs
- SILVERTEX stitched upholstery
- Two paddles, pump, repair kit and manual

OPTIONAL EQUIPMENT:

- Bow step plate w/ cleat, anchor roller and seat back
- Fuel system w/ 83 lit tank + send
- Electric package
- Towing arch w/ 2 cleats & tow eye. • T-top with top mounting plate
- Overall cover, console/seat covers SEADECK decking upgrade
- Two fiberglass side step panels

Colours:



_ight-gray tube / Gray decor • VALMEX PVC HYPALON



White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:

cleat, anchor roller and cushion



• Bow step plate with nav. lights, • GALA T-TOP with equipment mounting platform



 Heavy duty towing arch with 2 cleats and waterski tow eve





V580 with tow arch

VIKING V580 is one of the GALA flagships, built for heavy seas and high waves. Cockpit space, performance and great features make these models unbeatable in their class.

This model is 5.8m long (19') and has two versions:

• V580 - DELUXE version: boat with C-06 console with front seat, S-05 driver seat and large rear seat with 3 back supports, all built for comfortable recreational boating

· V580F - FISHING/PRO version: boat with C-07 console, S-06 bolster seat, a lot of free space at the front and back, with a number of options for expert level fishing and professional use.

You will enjoy excellent arrangements and capacities of these great models, along with superior rigidity of GALA-ALU-TECH welded aluminium hulls!

V580F



V580 580 cm (19' 0") long 150HP max, 12 pers



V580F 580 cm (19' 0") long 150HP max, 12 pers

5 reasons to choose GALA!

DEEP-V ALU HULL



exceptional seaworthiness.

TRANSOM EXTENSIONS



of V580 makes it a real performer with transom extensions is a great feature to walkways on each side of the boat for two-level dashboard and deck step is

TWO SIDE WALKWAYS



get on plane and for spray protection. safety and comfort for everyone aboard. ergonomic and protective.

HIGH-PROFILE CONSOLE



Aluminium welded Deep-V stepped hull V580 rear part configuration with The boat is wide enough to provide ALU welded high profile console with

SELF-BAILING COCKPIT



Truly SELF-BAILING COCKPIT keeps your boat always dry either on the way or when moored without cover.



Features:

- Deep "V" powder-coated aluminium hull with SELF-BAILING cockpit, doubled drains, transom extensions, motor well, bow locker, keel guard
- 4 lifting eyes, 2 rear and 1 bow tow eyes
- Soft curved 5-chamber Valmex / Hypalon buoyancy tube with cverpressure valve, 12 handles and rubbing strake with splash guard
- SILVERTEX upholstery
- Two paddles, pump, repair kit and manual

V580 Deluxe STANDARD FEATURES:

- Steering console C-06 with front seat
- Driver seat S-05 with 2 folding seats
- Rear locker with seat and back rests Bow cushion

V580F Fishing/PRO STANDARD FEATURES: • Overall cover, console/seat covers

- Steering console C-07
- Bolster seat S-06

OPTIONAL EQUIPMENT:

- Bow step plate w/ cleat, roller and back
- Fuel system with 106 lit tank and send • Electric equipment package
- Towing arch w/ 2 cleats & tow eye.
- T-top with top mounting plate
- SEADECK decking upgrade
- Two fiberglass side step panels
- Rear locker with access, no rear seats Fishing optional equipment see specs.

Colours:



Light-gray tube / Gray decor • VALMEX PVC




White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:

· SEADECK decking upgrade



 GALA T-TOP with equipment mounting platform



 Heavy duty towing arch with 2 cleats and waterski tow eve





VIKING V650 is one of the GALA flagships, built for heavy seas and high waves. Cockpit space, performance and great features make these models unbeatable in their class.

This model is 6.5m long (21'4") with two versions: · V650 - DELUXE version: boat with C-06 console with front seat, S-07 driver seat with two side seating, and large rear seat with 3 back supports, all built for comfortable recreational boating

· V650F - FISHING/PRO version: boat with C-07 console, S-06 bolster seat, a lot of free space at the front and at the back, with a number of options for expert level fishing and professional use.

You will enjoy excellent arrangements and capacities of these great models, along with superior rigidity of GALA-ALU-TECH welded aluminium hulls!





650 cm (21' 4") long 175HP max, 14 pers

V650F 650 cm (21' 4") long 175HP max, 14 pers

V650 with arch, T-top, side panels

5 reasons to choose GALA!

DEEP-V ALU HULL



of V650 makes it a real performer with exceptional seaworthiness.

«Z-FLAP» V650 TRANSOM



Aluminium welded Deep-V stepped hull Innovative «Z-FLAP» transom deflector, The boat is wide enough to provide There is a lot of space at the rear to

· Bow cushion.

TWO SIDE WALKWAYS



ture for back splash protection on V650. safety and comfort for everyone aboard. with table and lots of seating.

LARGE REAR COCKPIT AREA



created by GALA, is a great selling fea- walkways on each side of the boat for accomodate up to 7-8 people for a party

SELF-BAILING COCKPIT



Truly SELF-BAILING COCKPIT keeps your boat always dry either on the way or when moored without cover.

Features:

STANDARD FEATURES:

- Deep "V" powder-coated aluminium hull with SELF-BAILING cockpit, doubled drains, transom extensions, motor well, bow locker, keel guard
- 4 lifting eyes, 2 rear and 1 bow tow eyes
- Soft curved 5-chamber Valmex / Hypalon buoyancy tube with cverpressure valve, 12 handles and rubbing strake with splash guard
- SILVERTEX stitched upholstery
- Two paddles, pump, repair kit and manual

V650 Deluxe STANDARD FEATURES:

- Steering console C-06 with front seat
- Driver seat S-07 with 2 folding seats, rear
- seat and two level storage with handrails • Rear locker with w/ seat and seat back
- V650F Fishing/PRO STANDARD FEATURES:
- Steering console C-07 with front seat
- Bolster seat S-06 with 2 folding seats · Rear locker with access, no rear seats

- - T-top with top mounting plate
 - · SEADECK decking upgrade
 - Two fiberglass side step panels

OPTIONAL EQUIPMENT:

- Bow step plate w/ cleat, roller and back
- Fuel system with 208 lit tank and send · Electric equipment package
- Towing arch w/ 2 cleats & tow eye.
- Overall cover, console/seat covers
- · Fishing optional equipment see specs.

Colours:



Light-gray tube / Gray decor • VALMEX PVC




White tube / Gray decor



Black tube / Gray decor · VALMEX PVC

Options:

· SEADECK decking upgrade



 GALA T-TOP with equipment mounting platform



 Heavy duty towing arch with 2 cleats and waterski tow eve









FREESTYLE tenders from GALA are represented across 4 models and constitute a new and fresh design in the class of foldable boats with floorboards or airdeck. Key features are:

- · Each model is equipped with the «GALA-JET» inflatable tube, allowing for an impressive carrying capacity and power rating.
- Each model comes with two aluminium sliding seats (1 on F240) and aluminium floorboards.
- · Every unit is expertly equipped only with genuine GALA fittings and accessories. There are four models in the series and two flooring options:
- F240, F270, F300, F330 with solid aluminium floorboards and inflatable keel
- F240A, F270A, F300A, F330A with high-pressure airdeck and inflatable keel.

In creating this line of tenders, we offer something entirely different in comparison to other boats available on the market: unprecedented quality of design, engineering and craftsmanship in



F240/F240A 240 cm (7' 10") long 5HP max, 3 pers

F270/F270A 270 cm (8' 10") long 10HP max, 4 pers

F300/F300A 300 cm (9' 10") long 15HP max, 5 pers

F330/F330A 330 cm (10' 10") long 20HP max, 5 pers

5 reasons to choose GALA!



be a best performer, even for a dinghy!

TWO ALU SLIDING SEATS



aluminium seats as a standard (F240-1 pc) of space and impressive capacities.

MOST SPACIOUS COCKPIT



INNOVATIVE GALA FITTINGS



«GALA-JET» tube/hull design is essential to Each model is equipped with two sliding Each GALA Series - F model has a plenty Experience the state-of-art engineering

V-SHAPED BOTTOM



Each boat has a substantial keel and V-bottom for cutting waves and soft ride.

Colours:

Features:

STANDARD FEATURES:

- Soft curved 3-chamber VALMEX-PVC buoyancy tube with rounded bow and original «GALA-JET» design
- · High-density anodized aluminium flooring with antiskid surface on F240-F330
- High-pressure airdeck on F240A-F330A
- Two aluminium seats (one on F240) with sliding installation system
- · Substantial keel protector

• 3 stainless steel towing bow eyes

- · Bow handle and two rear handles
- GALA bow cleat and 8/10 grab handles
- · V-shaped bottom with inflatable keel
- Tough rubbing strake with splash guard · One-way drain valve with pull-up handle
- Two oars with oarlocks and oar stops
- Rear splash protectors

Overpressure valve

• High-efficiency foot pump

· Repair kit and manual

OPTIONAL EQUIPMENT:

• Removable bow soft seat

Tube protector package

- · Soft cushion for aluminium seat

- · Overall cover
- Under-seat bag

Black tube / Gray decor VALMEX PVC

VALMEX PVC

Light-gray tube / Gray decor VALMEX PVC

White tube / Gray decor

Options:







• Removable bow soft seat





FREESTYLE - Sport boats are excellent for runabouts, recreational family and professional use, when you need a light and portable boat capable of planing quickly or with many passengers on board. Each GALA model features a number of unique GALA designs, and GALA Freestyle SPORT boats will be your best choice as a roomy boat for applications like scuba-diving, fishing or cottage boat, yacht club coach boat or for a number of other semi-professional applications. It's heavy duty reinforced transom is designed for outstanding strength, wear resistance, and longer product life. Large diameter inflatable keel creates a high-performance Medium-V bottom for use with high waves and choppy water. Together with impressive capacities and cockpit space they make each GALA-F model a winner in the class of performing foldables.



F360 360 cm (11' 10") long 30HP max, 7 pers

390 cm (12' 10") long 30HP max, 8 pers

F420 420 cm (13' 9") long 40HP max, 8 pers

450 cm (14' 9") long 50HP max, 10 pers

5 reasons to choose GALA!



exceptional performance!

SLIDING SEATS SYSTEM



«GALA-JET» tube/hull design is key to GALA sliding seats system is a great Each GALA Series-F model has a plenty The first step-hull equipped foldable feature for effective space arrangement. of space and impressive capacities.

MOST SPACIOUS COCKPIT



STEP HULL PERFORMANCE



boat! A great creation of GALA!

PRO-GRADE ALU FLOOR



All boats feature heavily anodized aluminium floorboards for extended lifetime.

Features:

STANDARD FEATURES:

- Soft curved 3-chamber VALMEX-PVC original «GALA-JET» design
- High-density anodized aluminium flooring with antiskid surface
- Heavy-duty reinforced transom
- 2 (F360,F390) or 3 (F420,F450) aluminium seats with sliding installation system
- Bottom with step-hull system

• 3 stainless steel towing bow eyes

- Bow handle and two rear handles
- GALA bow cleat and 8/10 grab handles V-shaped bottom with inflatable keel
- Overpressure valve
- Tough rubbing strake with splash guard
- · One-way drain valve with pull-up handle
- Two oars with oarlocks and oar stops
- Rear splash protectors · Substantial keel protector
- Two envelope carry bags

High-efficiency foot pump

• Repair kit and manual

OPTIONAL EQUIPMENT:

- Removable bow soft seat
- · Soft cushion for aluminium seat
- Under-seat bag

Colours:



Light-gray tube / Gray decor VALMEX PVC



White tube / Gray decor VALMEX PVC



Black tube / Gray decor VALMEX PVC

Options:







• Removable bow soft seat



SPRINTER Series dinghies are the best of the classics: streamlined, sleek, and elegant with forefront engineering. Thera are boats with slatted deck (S240-S330), and models with floorboards and keel (S240D-S360D). The optimal choice for its versatility, it is a portable, light, and

fairly priced hoat

210 cm (6' 11") long 240 cm (7' 10") long 270 cm (8' 10") long 10HP max, 3 pers





300 cm (9' 10") long



10HP max, 3 pers

5HP max, 3 pers

240 cm (7' 10") long 270 cm (8' 10") long



300 cm (9' 10") long 15HP max, 4 pers



15HP max. 4 pers



330 cm (10' 10") long 360 cm (11' 10") long

5 reasons to choose GALA!

HONDA

LIGHT AND COMPACT



Each S-seties GALA tender is light and Sliding installation system for plywood GALA slatted deck covers most of the Just check out all capacities, cockpit

ALUMINIUM SLIDING SEATS SUBSTANTIAL SLATTED DECK IMPRESSIVE CAPACITIES

GALA








OPTIONAL EQUIPMENT:

· Soft cushion for plywood seat

· Overall cover

WELDED TUBE SEAMS



All structural seams of inflatable tubes are strictly WELDED.

compact, easy to store and to assemble. seats is a great feature for easy cockpit cockpit area for your safety and comfort. space and power rating to see that GALA space arrangement.

Features:

STANDARD FEATURES:

- · 3-chamber VALMEX-PVC buoyancy tube with overpressure valve
- Double strength welded tube seams
- · Slatted laminated deck on S210-S300 and
- · Laminated floorboards + inflatable keel + aluminium beams on S240D-S330D and V-shaped bottom
- Integral laminated transom

• 2 plywood seats with sliding installation system (1 on S210)

- 2 stainless steel towing bow eyes
- Bow grab handle
- · Substantial lifeline
- Tough rubbing strake with splash guard · One-way drain valve with pull-up handle
- Two oars with oarlocks and oar stops
- Envelope type carry bag
- Foot pump, repair kit and manual

Colours:



Light-gray tube / Gray decor • VALMEX PVC



White tube / Gray decor



Black tube / Gray decor VALMEX PVC

Options:

206



GALA







C450 with 2 folding seats (opt.)

Our series of inflatable canoes was born and developed in Canada, an extension of and innovation on a symbol of Canadian identity. The avant-garde concept is creating a new facet in the canoe industry, as well as the inflatable boating industry, pioneering a more advanced and versatile canoeing lifestyle. GALA canoes retain classic canoe features while incorporating contemporary materials and technology for an

- They are UNSINKABLE and are significantly more STABLE. They not flip over, unless you want it to!
 They are LIGHT, COMPACT and fit the car trunk. No need for strapping anything to the roof of a car!
- They PERFORM. Motor compatible, enabling you to reach your island or cottage doing up to 30 km/h!
- They are COMFORTABLE. Seating is situated higher and with lots of cockpit space around.
- They have remarkable carrying capacities! You will be impressed at how much gear you can take!



C520 with bow dodger (opt.)

5 good reasons to choose GALA!

IMPRESSIVE CAPACITIES





HUNTING . RAFTING AND MUCH MORE!

DEFLECTOR + RUBRAIL



You can safely carry a lot of gear with The concept of GALA Canoe is the most Bow deflectors and rubrail makes your Experience an exceptional performance of you for hundreds of kilometers at high advanced and versatile design on a ride dry and comfortable at all speeds.

GREAT PERFORMER



GALA canoes! You can get on plane with 3HP and fly at over 30km/h with 8HP!

OPTIONAL EQUIPMENT:

and fishfinder mount

• Fishing panel with 2 rod holders

• 2 oars with oarlocks and holders

PERFECT PADDLING



Paddling with GALA canoes is very easy and enjoyable. Assemble it in 5-7 min and have fun paddling!

Features:

STANDARD FEATURES:

- Soft curved VALMEX-PVC buoyancy tube with
- Double strength tube seams • High-pressure airdeck and laminated transom • Rubbing strake with splash guard
- Two large tracking fins
- Two water deflectors
- 2 pcs on C380 and C450, and 3 pcs on C520
- Plywood laminated sliding seats: 1pc on C320,
- Stainless steel towing bow eye
- Bow tube protectors
- Two rear lifting handles
- Lifeline all over the perimeter of the canoe
- · One-way drain valve with pull-up handle • High- efficiency foot pump
- Envelope type carry bag
- · Repair kit and manual

Colours:



ight-gray tube / Blue decor or Performance version



Dark-green tube / Black decor

Options:







• 2 oars w/ oarlocks & holders







P7, T-top, side panels

5 reasons to choose GALAXY!



do. It is TRUE PRO form A to Z!

TRUE PROFESSIONAL DESIGN SPACE! SPACE! SPACE!



complete a mission.

FACTORY CUSTOMIZED



just decorated to look like pro as others what every PRO need to do the job or and built for every single customer, with deck equipment, parts, hardware and complete 3D rendered presentation. material gauges in our industry

HEAVY-DUTY IN EVERY INCH



Every GALAXY is not recreational boat Impressive cockpit space - it is exactly Every GALAXY is fully custom designed. We use and build only the heaviest duty

COMMERCIAL DECKING



Hi-end antiskid embossed decking is standard for every GALAXY, it is builtt to

Features:

STANDARD FEATURES:

- Deep "V" powder-coated aluminium hull with Selection of seatings for customer choice SELF-BAILING cockpit, doubled drains, motor well, bow locker, welded metal keel guard
- 4 lifting eyes, 2 rear and 1 bow tow eyes
- Soft curved 5-chamber TPU Polyurethane / Valmex / Hypalon buoyancy tube with PRO doubled rubbing strake
- Selection of pro-grade steering consoles with or without front seat

- «QUINTET» antiskid embossed decking
- Two rear storage lockers on P6, P7
- Bolster seat S-06 with 2 folding seats
- Rear locker with access, no rear seats • Two paddles, high-efficiency foot pump
- Repair kit and manual

OPTIONAL EQUIPMENT:

- Bow step plate w/ cleat, roller and back
- Fuel system with tank and send
- · Electric equipment package
- Towing arch w/ 2 cleats & tow eye.
- T-top with top mounting plate
- Overall cover, console/seat covers • Two side step panels with handles
- · Customized lettering on tube and t-top

Colours:



Orange tube / Black decor TPU PolyurethaneHYPALON




Red tube / Black decor HYPALON



Black tube / Black decor TPU Polyurethane, PVC

Options:






• GALAXY T-TOP with equip-



· Rear towing arch, towing bollards and engine guard frame







P8-DIVE

5 reasons to choose GALAXY!

DEEP-V PRO-GRADE HULL INNOVATIVE ERGONOMICS DECK CUSTOMIZE READY



Aluminium welded Deep-V high perfor- Advanced ergonomics with innovative Fully customizable cockpit with large True PRO-grade rugged parts, equipmance stepped hull with alu welded and space-effective consoles and seats.





PRO-GRADE EQUIPMENT



variety of seats, consoles amnd other ment and hardware for most intensive

REMOVABLE COLLAR



Easy removable inflatable tube installation system design for quick and convenient replacement or service.

Features:

STANDARD FEATURES:

- Deep "V" powder-coated aluminium hull with «QUINTET» antiskid embossed decking SELF-BAILING cockpit, doubled drains, motor • Rear storage locker with motor well well, two bow lockers with anchor compartment, welded metal keel guard
- 4 lifting eyes, 2 rear and 1 bow tow eyes
- Removable Soft curved 5-chamber TPU Polyurethane / Hypalon buoyancy tube with PRO doubled rubbing strake
- Pro-grade steering console with windshield, railing and large lockable storage box

- Two driver seats with back rests
- Rear locker with access, no rear seats
- Two paddles, high-efficiency foot pump
- Repair kit and manual

OPTIONAL EQUIPMENT:

- Fuel system with 300 lit tank and send
- · Electric equipment package

- Bow and two rear bollards
- Towing arch w/ 2 cleats & tow eye.
- T-top with top mounting plate • Two PRO folding diving ladders
- · Bow bollard LED light bar fixture with navigation lights.
- Engine guard frame
- 12 or 24 air bottles diving racks (ask for complete options list)

Colours:



Gray tube / Black decor HYPALON



Black tube / Black decor • TPU Polyurethane



Orange tube / Black decor • TPU Polyurethane • HYPALON

Options:

• Two PRO-grade folding diving ladders with handles




· GALAXY T-TOP with equipment mounting platform



• Bow bollard LED light bar







T7M·T7P·T7C



TRIDENT T7 is the boat with solid foam float, instead of classic inflatable tube. This boat meets the toughest requirements for operation boats, law enforcement and patrol, heavy duty military and commercial use. There are several options for cockpit arrangements available on request for different applications:

Cockpit arrangements:

- T7-OPERATION: boat with steering console at the bow with all seats behind,
- T7-PATROL: boat with steering console in the middle and protection roof,
- T7-CARRIER: boat with steering console at the back and all seats in the front.
- · T7-SAR: boat for Search and Rescue operations • T7-DELUXE: boat with front and rear bench seating.

Seating and consoles positions are fully customizable.



T7-PATROL



quick drains, single engine or double engine motor well, bow locker, anchor storage, embossed PRO decking,

• 6 mooring cleats, 4 lifting eyes, 2 rear and 1 bow tow eyes

- POLYURETHANE coated solid foam removable buoyancy tube
 Steering console with with windshield and railing
- PRO jockey seats: T7-PATROL 6 pcs, T7-CARRIER, T7-OPERATION 8 pcs
- Protection roof for T7-PATROL with tempered glass windshield and soft top cover

OPTIONAL EQUIPMENT:

- Built-in fuel system with 200 lit tank
- Heavy-duty bow bollard and two rear bollards
- 4 safety top-mounted railings
- Engine guard frame
- Under-deck large storage with access door
- Motorwell deck extension walking panel
- 4 cockpit folding steps
- PRO electric equipment package

- Amunition removable dry locker with double seat
- Extra 200 lit tank for 400 lit total fuel reserve
- Towing arch w/ 2 cleats & tow eye.
- T-form rear towing mast for T7M, T7C
- Overall cover, console/seat covers
- Boarding ladder
- Maintenance package



Technical Specifications

| | Rigid Inflatable Boats (RIBs) with Aluminium hull——————————————————————————————————— | | | | | | | | | | | | | | | Foldable Inflatable Bo | | | | | | | ble Boa | ats and Inflatable Canoes ———— | | | | | | | | | | | | | | | | |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------|---------------------------------------------|----------------------------------------------|----------------------------------------------|---------------------------------------------|---------------------------------------------|--------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|---------------------------------------------|-----------------------------------------------|-----------------------------------------------|----------------------------------------------|-----------------------------------------------|-----------------------------------------------|------------------------------------|------------------------------|--------------------------|----------------------------------------------------|-------------------------|---------------------------------------------------------|---------------------------------------------|---------------------------------------------|------------------------------------------|-----------------------------|--------------------------------|---------------------------------------------------------------------|-----------------------------------|---------------------------------------|----------------------------------------------|------------------------------------------------|----------------------------------------------|-----------------------------------------------|-----------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------|---------------|
| Series | ATLANTIS Tenders LITE / Double Deck / AQUAHELM | | | | | | ATLANTIS Center console aluminium RIBs | | | | | | VIKING Deluxe RIBs | | | | | | FREESTYLE Floorboards / airdeck | | | | | | SPRINTER Slatted deck / plywood floorboards | | | | | CANOES With airdeck | | | GALAXY Pilot / Trident Professional RIBs | | | | | | | |
| Models | | | A300/ A300D,Q | A330/ A330D,Q | A360D/ A360Q | , | A300L | A330L | A360L | A400L | A450L | A500L | V330 | V360 | V420 | V500 | | V650/ V650F | | 240 / F27 240A F27 | | | | 360 F39 | 90 F420 |) F450 | S210 | | S270 / S270D | | 30D S360D | | 20 C380 C | 450 C520 | P4.5 | P5 | P6 | P7 | P8 T7 | |
| Length overall, cm ft/inches | | 270 8' 10" | 300 9'10" | 330 10' 10" | 360 11' 10" | 390 12' 10" | 300 9'10" | 330 10' 10" | 360 11' 10" | 400 13' 1" | 450 14' 9" | 500 16' 5" | | 360 11' 10" | 420 13' 9" | 500 16' 5" | | 650 21' 4" | | 40 270 10" 8'1 | | | | 60 390 1'10" 12' | 0 420 10" 13' 9' | 450 " 14' 9" | 210 6' 11" | | | 300 330 9'10" 10' | 360 10" 11'10" | 320 10' 6 | | 150 520 4' 9" 17' 1" | 450 14' 9" | 500 16' 5" | 580 19' 0" | 650 21' 4" | 780 65 25' 7" 21' | - |
| Length inside, cm ft/inches | | 192 6' 4" | 222 7 ' 3 " | 252 8' 3" | 282 9' 3" | 310 10' 2" | 214 7' 0" | 244 8' 0" | 270 8' 10" | 310 10' 2" | 354 11' 7" | 400 13' 1" | | 268 8' 10" | 320 10 6" | 350 11' 6" | 470 15' 5" | 540 17' 9" | 19 6' | 2 222 4" 7'3 | | | | 03 333 ' 11" 10' | 3 357 11" 11'9" | | 141 4' 8" | 171 5' 7" | | 222 252 7' 3" 8' 3 | | | 317 3 10' 5" 12' | 87 457 2' 8" 15' 0" | 355 11' 8" | 410 13' 5" | 480 15' 9" | 550 18' 1" | 675 58 22' 2" 19 | |
| Width overall, cm ft/inches | | . , | 162/170 5'4"/5'7" | 162/170 5'4"/5'7" | 170 5' 7" | 170 5' 7" | 170 5' 7" | 170 5' 7" | 192 6' 4" | 192 6' 4" | 215 7 " 1" | 215 7 ' 1" | 172 5' 8" | 186 6' 1" | 192 6' 4" | 215 7 ' 1" | 250 8' 2" | 250 8' 2" | 15 5 ' | 0 170 1" 5' 7 | | | | 95 195 '5" 6'5 | | 195 6' 9" | 145 4′ 9″ | 145 4' 9" | | 160 160 5'3" 5'3 | 160 5' 5' 3" | 104 3' 5' | | 04 104 "5" 3'5" | 215 7 ' 1" | 215 7 ' 1" | 250 8' 2" | 250 8' 2" | 285 25 9' 4" 8' | - |
| Width inside, cm ft/inches | 76/82 2'6"/2'8" | 76/82 2'6"/2'8" | 78/82 2'7"/2'8" | 78/82 2'7"/2'8" | 82 2' 8" | 82 2' 8" | 82 2' 8" | 82 2' 8" | 96 3' 2" | 96 3' 2" | 111 3' 8" | 111 3' 8" | 82 2' 8" | 90 2' 11" | 96 3' 2" | 111 3' 8" | 130 4' 3" | 130 4' 3" | 70 2' |) 82 2" 2 ' 8 | 82 " 2' | | - | 9 99 '3" 3'3 | | 109 3' 7" | 69 2' 3" | 69 2' 3" | | 76 76 2' 6" 2' 6 | 76 5" 2' 6" | 40 1' 4" | | 10 40 ' 4" 1' 4" | 111 3' 8" | 111 3' 8" | 130 4' 3" | 130 4' 3" | 160 19 5'3" 6' | |
| Tube diameter max, cm inches | , | 38/44 15"/17" | 42/44 17" | 42/44 17" | 44 17" | 44 17" | 44 17" | 44 17" | 48 19" | 48 19" | 52 20" | 52 20" | 44 17" | 48 19" | 48 19" | 52 20" | 60 24 " | 60 24" | 40 16 |) 44 " 17" | 44 17 | 44 " 19 | . 4 " 19 | 8 48 9" 19" | 48 19" | 48 15" | 38 15" | 38 17" | 42 17" | 42 42 17" 17" | | 32 13" | | 32 3" 13" | 52 20" | 52 20" | 60 24 " | 60 24" | 60 60 24" 24 | |
| Bare Boat weight*, kg | | 41/59 90/130 | 45/64/97 99/140/213 | | | 80/115 176/253 | 112 198 | 126 277 | 160 352 | 170 374 | 220 484 | 250 550 | 132 290 | 166 366 | 222 488 | 281 618 | 462 1016 | 525 1155 | |)/22 40, 5/48 88, | | 5/42 70 1/92 15 | /55 7 4/121 16 | | | | | | | 33/42 55 73/92 121 | | 20 44 | 24 2 53 6 | | 280 616 | 370 814 | 580 1276 | 650 1430 | 850 88 1870 19 | - |
| Loading capacity***, kg | 300/350 660/770 | | | | 600 1320 | 650 1430 | 450 990 | 500 1100 | 700 1540 | 800 1760 | 900 1980 | 1000 2200 | 500 1100 | 700 1540 | 850 1870 | 1000 2200 | | 1800 3960 | 35 77 | | | 00 55 00 12 | | 50 800 550 176 | | | | | | 400 450 880 99 | 500 | 320 704 | | 50 550 90 1210 | 800 1760 | 900 1980 | 1400 3080 | 1700 3740 | 2000 12 4400 26 | |
| Passengers capacity | 2/3 | 3/4 | 4/5 | 4/5 | 6 | 6 | 4 | 5 | 6 | 7 | 8 | 9 | 5 | 6 | 7 | 9 | 12 | 14 | 3 | 4 | 5 | 6 | 7 | 8 | 8 | 10 | 2 | 3 | 4 | 5 5 | 5 | 2 | 3 4 | 5 | 7 | 8 | 10 | 12 | 10(B),14(C) 10 | |
| No of chambers ** | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 5 | 3 | 3 | 4 | 5 | 5 | 5 | 3+ | -1/2 3+1 | /2 3- | +1/2 3+ | 1/2 3 | +1 3+1 | 1 4+1 | 5+1 | 3 | 3/3+1 | 3/3+1 | 3/3+1 3+ | 3+1 | 4+1 | 4+1 4 | l+1 4+1 | 5 | 5 | 5 | 5 | 5 - | |
| Engine recommended, HP kW | 5 3.7 | 8 5.9 | 10 7.4 | 15 11 | 20 14.7 | 20 14.7 | 15 11 | 20 14.7 | 30 22.1 | 40 29.4 | 50 36.8 | 70 51.5 | 20 14.7 | 30 22.1 | 50 36.8 | 80 58.8 | 120 88.3 | 150 110.3 | 5 3.7 | 8 7 5.9 | 10 7. | 15 4 11 | _ | 0 25 4.7 18.4 | | 40 29.4 | 3 2.2 | 4 2.9 | 0 | 10 15 7.4 11 | 15 11 | 3 2.2 | 4 6 2.9 4 | 6 1.4 4.4 | 50 36.8 | 70 51.5 | 150 110.3 | 175 128.7 | 250 25 183.9 183 | |
| Engine max ***, HP kW | 6 4.4 | 10 7.4 | 15 11 | 20 14.7 | 25/30 18.4/22.1 | 30 22.1 | 20 14.7 | 30 22.1 | 40 29.4 | 50 36.8 | 70 51.5 | 90 66.2 | 30 22.1 | 40 29.4 | 60 44.1 | 100 73.5 | 150 110.3 | 175 128.7 | 5 3.7 | 10 7 7.4 | 15 11 | 20 14 | 7 2 | 0 30 2.1 22. | 10 | 50 36.8 | 4 2.9 | 5 3.7 | 10 7.4 | 15 20 11 14. | | 4 2.9 | 6 8 4.4 5 | 8 6.9 5.9 | 70 51.5 | 100 73.5 | 175 128.7 | 250 183.9 | 300 30 220.6 22 | |
| Engine weight max, kg | | 45 99 | 50 110 | 60 132 | 70 154 | 70 154 | 60 132 | 70 154 | 100 220 | 110 242 | 130 286 | 180 396 | 80 176 | 100 220 | 120 264 | 180 396 | 250 550 | 300 660 | 30 66 | | 5(11 | - | _ | 0 80 76 176 | 95 209 | 115 253 | 25 55 | 30 66 | 45 99 | 50 60 110 132 | | 25 55 | 35 4 77 8 | | 130 286 | 180 396 | 300 660 | 350 770 | 400 40 880 88 | |
| Engine shaft length, inch | 15" | 15" | 15" | 15" | 15"(20") | 15"(20") | 15" | 15" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 25"/20" | 15 | " 15" | 15 | " 15 | ' 2 | 0" 20' | " 20" | 20" | 15" | 15" | 15" | 15" 15" | 15" | 15" | 15" 15 | 5" 15" | 20" | 20" | 25" | 25" | 30" 25 | |
| Deadrise transom/mid, deg | 14°/19° | 14º/19º | 14°/19° | 14°/19° | 14°/19° | 14°/19° | 14°/19° | 14º/19º | 20°/23 | ° 20°/23° | 23º/27º | 23°/27° | 17°/23° | 17º/23º | 22º/25 | ° 23°/28 | 8° 23°/30 |)° 23°/30° | 110 | °/16° 11°/ | 16° 11 | °/16° 11° | /16° 12 | 2°/17° 12° | /17° 12°/1 | 7° 12°/17° | 11º/17º | 11º/17º | 11º/17º | 11º/17º 11º, | ′17° 11°/17° | - | | - | 23º/28 | 3° 23°/2 | 8° 23°/30 | ° 23°/30' | 23°/30° 23 | /30° |
| Transport dimensions, cm of package No1 cm cm ft/inches ft/inches ft/inches | 54 6' 11" 3' 9" | 233 114 54 7' 8" 3' 9" | 263 114 54 8' 8" 3' 9" 1' 9" | 293 114 54 9' 7" 3' 9" 1' 9" | 323 114 54 10' 7" 3' 9" 1' 9" | 353 114 54 11' 7" 3' 9" 1' 9" | 263 114 54 8' 8" 3' 9" 1' 9" | 293 114 54 9' 7" 3' 9" 1' 9" | 330 135 65 10'10" 4'5" 2'2" | 370 135 65 12' 2" 4' 5" 2' 2" | 430 155 78 14' 1" 4' 7" 2' 7" | 450 155 81 14' 9" 5' 1" 2' 8" | 293 114 65 9' 7" 3' 9" 2' 2" | 330 135 75 10' 10" 4' 5" 2' 6" | 400 135 80 13' 1" 4' 5" 2' 67' | 450 155 81 14' 9" 5' 1" 2' 8" | 550 190 110 17' 1" 6' 3" 3' 3" | 620 190 110 20' 4" 6' 3" 3' 3" | 60 40 |) 40 10" 3'1 0" 2'0 | 61 41 | 6 116 0 60 0 40 10" 3' 0" 2' 4" 1'4 | 7 4 10" 3 0" 2 | 20 120 0 70 5 45 '11" 3'1 '4" 2'4 6" 1'6 |) 120 70 50 1" 3'11" 4" 2'4" | 70 50 3' 11" 2' 4" | 116 60 40 3'10" 2'0" 1'4" | 60 40 3' 10" 2' 0" | 60 40 3'10" 2'0" | 120 120 60 60 40 40 3'11" 3'1 2'0" 2'0 1'4" 1'4 | 60 40 1" 3' 11")" 2' 0" | 90 60 47 2'11 2'0 1'7" |)" 2'0" 2 | 60 60 17 47 '' 11" 2' 11" '' 0" 2' 0" | 430 140 78 14' 1" 4' 7" 2' 7" | 500 155 81 14' 11" 5' 1" 2' 8" | 550 190 110 17' 1" 6' 3" 3' 7" | 620 190 110 20' 4" 6' 3" 3' 7" | 750 666 220 19 150 110 24' 7" 21' 7' 3" 6' 4' 11" 3' |) 8" 3" |
| Transport dimensions, cm of package No2 cm cm ft/inches ft/inches ft/inches | | | | | | | 52 58 90 1' 8" 1' 11" 2' 11" | 52 72 90 1'8" 2'4" 2'11" | 60 60 100 2' 0" 2' 0" 3' 3" | 60 60 100 2' 0" 2' 0" 3' 3" | 70 80 100 2' 4" 2' 7" 3' 3" | 70 80 100 2' 4" 2' 7" 3' 3" | 52 72 90 1' 8" 2' 4" 2' 11" | 60 60 100 2' 0" 2' 0" 3' 3" | 70 80 100 2' 4" 2' 7" 3' 3" | 70 80 100 2' 4" 2' 7" 3' 3" | 80 90 110 2' 7" 2' 11" 3' 7" | 80 90 110 2' 7" 2' 11" 3' 7" | 10 65 10 3' 2' 0' | 5 65 10 3" 3'3 | 6! 10 " 3' " 2' | 10 3" 3' 2" 2' | 12 3" 3 2" 2 | 2 12 '3" 3'3 '2" 2'2 | 12 3' 3' 3" 2" 2' 2" | 120 70 12 3' 11" 2' 4" 0' 5" | | /2' 2" | /65 /10 /3' 3" /2' 2" | /100 100 /65 65 /10 10 /3'3" 3'3 /2'2" 2'2 /0'4" 0'4 | 65 10 3' 3' 3" 2' 2' 2" | | | | 70 80 100 2' 4" 2' 7" 3' 3" | 70 80 100 2' 4" 2' 7" 3' 3" | 80 90 110 2' 7" 2' 11" 3' 7" | 80 90 110 2' 7" 2' 11" 3' 7" | 100 80 100 90 120 110 3' 3" 2' 3' 3" 2' 3' 11" 3' | 7" 1" |
| Transport dimensions, cm of package No3 cm cm ft/inches ft/inches | | | | | | | 100 50 46 3' 3" 1' 8" 1' 6" | 100 50 46 3' 3" 1' 8" 1' 6" | 110 60 60 3' 7" 2' 0" 2' 0" | 110 60 60 3' 7" 2' 0" 2' 0" | | | | | | 100 100 50 3' 3" 3' 3" 1' 8" | | 3' 7" | | | | | | | | | | | | | | | | | 120 65 60 3' 11" 2' 2" 2' 0" | 120 65 60 3' 11" 2' 2" 2' 0" | 110 110 60 3' 7" 3' 7" 2' 0" | 130 110 60 4' 3" 3' 7" 2' 0" | 140 131 80 110 80 60 4'7" 4' 2'7" 3' 2'7" 2' | 3" 7" |
| Tube material options | HYPALON, VALMEX | | | | | | HYPALON, VALMEX | | | | | | | HYPALON, VALMEX | | | | | | VALMEX | | | | | VALMEX | | | | | VALMEX | | | P: HYPALON, VALMEX, TPU / T7: PU coated foam | | | | | | | |
| Bottom type | Aluminium hull RIB | | | | | | Aluminium hull RIB | | | | | | | Aluminium hull RIB | | | | | | Floorboards + keel / Airdeck | | | | | | Slatted deck / Floorboards + keel | | | | | Airdeck | | | Aluminium hull RIB | | | | | | |
| Alu hull thickness, mm | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 3 | _3 | 3 | 3 | 3 | 4 | 4 | 3 | 3 | 4 | 4 | 4 | 4 | | | | | | | | | | | | | | | | | 4 | 4 | 5 | 5 | 5 5 | |
| Boat design category **** | D | D | (| (| (| (| (| (| (| (| (| (| (| (| (| (| (| (| D | D | (| (| C | (| (| C | D | D | D | ((| C | D | D D |) D | (| C | (| (| B, C C | |

^{* -} The bare boat weight is just a weight of the emply boat without any removable accessories.

** - F series with floorboards have 1 extra buoyancy volume- the inflatable keel. F with airdeck have 2 extra buoyancy volume: the inflatable keel and the bottom.

*** - Because of differences in local boatbuilding standarts the Loading capacity, Passenger capacity, Maximum Engine Power and other specifications may vary by country and can be different to this specification. Please check that with your local Dealer.

**** - Boat design category and Classification of European Directive for Recreational crafts 2013-53-EU

